





BSK ZEPHYR v2


DECENTRALIZED VENTILATION WITH HEAT RECOVERY

www.bskhvac.com.tr

BSK ZEPHYR DECENTRALIZED HEAT RECOVERY DEVICE

The BSK Zephyr decentralized heat recovery device is an intelligent and connected ventilation solution designed for spaces without traditional ventilation systems. At its heart, the BSK Zephyr features a ceramic heat recuperator paired with a two-way fan. Operating on a 70-second periodic cycle, the device alternates between air intake and exhaustion. During the exhaust phase, it removes stale indoor air while recharging the ceramic core. When the cycle reverses, fresh outdoor air is pushed through the charged core, either heating or cooling it based on the season. With heat exchange rates reaching up to 90%, the BSK Zephyr enables efficient energy recovery. Additionally, it supports wireless communication between multiple devices, integrates seamlessly with a mobile app, and facilitates zoning for customized ventilation control.





Built-in WiFi chip enables wireless pairing of multiple devices across your house. When paired, devices will run either in parallel or in reverse depending on your setup. When the primary device is in ventilation mode, all parallel devices will also follow, while the reverse devices will be in exhaust mode. This way you can have continuous ventilation and aspiration and create air drafts inside or across rooms to increase the effectiveness of ventilation. You can set different settings and speeds for different rooms and create various ventilation zones.

THE FOLDABLE EXTERIOR LOUVRE



- Enables the installation of the exterior hood from inside the house, thanks to its foldable design which allows the louvre to pass through the 160mm tubing. This accessory is particularly beneficial for high-rise buildings where accessing the exterior wall can be restricted or hazardous.

THE METAL EXTERIOR HOOD




- Available in both stainless-steel and paint-coated finishes, provides a durable solution ideal for withstanding harsh environmental conditions when mounted outside.

THE THIN-WALL METAL EXTERIOR HOOD



- Extends the minimum wall thickness requirement of the Zephyr units down to 150mm by accommodating a wider exterior hood. This design allows the capsule to protrude into the hood, offering greater flexibility in installation where there is not enough wall thickness.

TECHNICAL SPECIFICATIONS




Technical Specifications				
Electrical Connection	110/230V 50/60Hz			
Fan Speed	Night Mode	I	II	III
Air Flow (m ³ /h)	15	30	45	60
Elec. Power (W)	0.9	1.1	2.8	5.9
Sound Power	21.3	25.7	39.8	47.9
Sound Pressure @1m (dBA)	10.3	14.7	28.8	36.9
Sound Pressure @3m (dBA)	0.8	5.1	19.2	27.3
Thermal Efficiency	up to 90%			
Sensor Type	Temperature and Humidity			
Filter	2x G3 (optional M5)			
Protection Class	IPX4			
Operating Temp.	-20 / +40°C			

IR REMOTE CONTROL



- Night mode for complete silent operation
- 3 different ventilation modes;
- Intake and Exhaust mode for continuous ventilation or air extraction, and cycle mode for default operation with heat recovery
- Total of 4 fan speeds including Night Mode
- 3 humidity monitoring levels. When a set humidity is reached, the device will enter exhaust mode to dispense excess humidity.



LOCAL WIRELESS PAIRING OF MULTIPLE UNITS



Wirelessly connect and control multiple BSK Zephyr units through local pairing using the onboard wireless chip. This feature facilitates seamless communication between devices throughout your home. By pairing individual units to a master device, you can establish ventilation zones, ensuring synchronized operation. Plus, manage all connected devices conveniently with a single IR remote. This local connection between devices operates independently of the internet, ensuring reliable functionality without the need for internet access.

BSK ZEPHYR MOBILE APP

Unlock the full potential of your BSK Zephyr units with our intuitive and powerful BSK Zephyr mobile app. Whether you're at home or on the go, take command of your indoor environment ventilation with convenience.


Remote Access: Adjust settings and monitor performance from anywhere with internet access.

Customized Settings: Easily manage fan speed, boost settings or humidity levels preferences.

Weekly Scheduling: Set up weekly schedules for personalized comfort and energy efficiency.

Real-Time Monitoring: Stay informed with instant updates on indoor temperature and humidity conditions.

Filter Maintenance Alerts: Receive timely reminders for optimal device performance.



■ Download the app and enjoy the convenience of smart ventilation control at your fingertips.





BSK Ventilation Equipment INC.

📍 Mimar Sinan mah. Basra cad. No: 59 / A Sultanbeyli, İstanbul
☎ +90 (216) 669 09 70
🌐 info@bskhvac.com

www.bskhvac.com